

Disposable plaster traps used onsite must be maintained and disposed of in the manner described Direct any question to this prededDr. Steven Kucera at 8823528.

1. Pla



Example Plaster Trap Label for the Ceramics Lab:

A		D.
	HAZARDOUS	
Β	APASTE	
Balan		
	FEDERAL LAW PROHIBITS IMPROPER DISPOSAL.	
	WALL ATHE NEAREST POLICE OR PUBLIC SAFET	Y
	ADDRESS 401 W. Kencely Dive PHONE (XIS) ADS. ()	
	CITY JAMARA OTATE FI TID ZZGAL	0
	ID THE COCLIMENT NO TO THE POLICY ILLE	H.
	START DATEWASTE NUL	- 3-
	[Waste Solidas	
2 11 - 21		
118-118 18:		
	L D.O.T. PROPER SHIPPING NAME AND UN OR NA NO. WITH PREXX	
M	HANDLE WITH UATE:	D
	LABT MASTER (800) 621-5808 www.labelmaster.com	
100000		



Example Plasterrap Label for other locations

0.91.			-	WI I WAL	wK.
5. 	()))) 静下				
		=			
	- AN 181				
		00 x 1111 x 23	• • • • • • • • • • • • • • • • • • •		
× "			. I-850.00		-
			near the state		
₩₽₽₩₽₽₽	ATPERIA				